

Target:K14

Drill Hole:DDH14-06

Location:583162E , 6315101N

Zone & Datum:Z11, NAD 27

Elevation:605 m asl

Start - End Date:24/10/1997 - 25/10/1997

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-179°

Core Diameter:63.5 mm (HQ)

Geologist Logging:Jeff Ward

End of hole (EOH):114.90 m




Target: K14
Drill Hole: DDH14-07
Location: 583162E , 6315101N
Zone & Datum: Z11, NAD 27
Elevation: 605 m asl
Start - End Date: 25/10/1997 - 28/10/1997

Company: Ashton Mining of Canada Inc.
Collar Azimuth: 0°
Collar Incline: -60°
Core Diameter: 63.5 mm (HQ)
Geologist Logging: J. Ward/D. Skelton
End of hole (EOH): 245.96 m




* Symbol denotes hand-sized sample of core is available at Mineral Core Research Facility at Alberta Geological Survey



[\(Click on sample symbol to access sample details and data\)](#)

Target: K14B
Drill Hole: DDH14B-01
Location: 582820E , 6315277N
Zone & Datum: Z11, NAD 27
Elevation: 620 m asl
Start - End Date: 22/10/1997 - 23/10/1997

Company: Ashton Mining of Canada Inc.
Collar Azimuth: 0°
Collar Incline: -90°
Core Diameter: 85.0 mm
Geologist Logging: Dave Skelton
End of hole (EOH): 89.00 m



Target:K14B

Drill Hole:DDH14B-02

Location:582820E , 6315277N

Zone & Datum:Z11, NAD 27

Elevation:620 m asl

Start - End Date:23/10/1997 - 26/10/1997

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-60°

Core Diameter:85.0 mm

Geologist Logging:Jeff Ward

End of hole (EOH):137.76 m



Target:K14B

Drill Hole:DDH14B-03

Location:582820 , 6315277

Zone & Datum:Z11, NAD 27

Elevation:620 m asl

Start - End Date:26/10/1997 - 27/10/1997

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:0.00°

Core Diameter:85.0 mm

Geologist Logging:Jeff Ward

End of hole (EOH):92.05 m



Target:K14B

Drill Hole:DDH14B-04

Location:582820E , 6315277N

Zone & Datum:Z11, NAD 27

Elevation:620 m asl

Start - End Date:28/10/1997 - 30/10/1997

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-60°

Core Diameter:85.0 mm

Geologist Logging:Jeff Ward

End of hole (EOH):95.05 m



Target:14C

Drill Hole:DDH14C-01

Location:583029E , 6315357N

Zone & Datum:Z11, NAD 27

Elevation:610 m asl

Start - End Date:09/10/1997 - 11/10/1997

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-90 °

Core Diameter:85.0 mm


Geologist Logging: Derrick Strickland

End of hole (EOH): 81.83 m



Target: K14C
Drill Hole: DDH14C-02
Location: 583029E , 6315357N
Zone & Datum: Z11, NAD 27
Elevation: 609 m asl
Start - End Date: 10/10/1997 - 13/10/1997

Company: Ashton Mining of Canada Inc.
Collar Azimuth: 0°
Collar Incline: -70°
Core Diameter: 85.0 mm
Geologist Logging: Derrick Strickland
End of hole (EOH): 87.47 m



* Symbol denotes hand-sized sample of core is available at Mineral Core Research Facility at Alberta Geological Survey

Target:K14C

Drill Hole:DDH14C-03

Location:583029E , 6315357N

Zone & Datum:Z11, NAD 27

Elevation:609 m asl

Start - End Date:13/10/1997 - 15/10/1997

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-70 °

Core Diameter:85.0 mm

Geologist Logging: Derrick Strickland

End of hole (EOH): 82.90 m



Target:K14C

Drill Hole:DDH14C-04

Location:583029E , 6315357N

Zone & Datum:Z11, NAD 27

Elevation:609 m asl

Start - End Date:15/10/1997 - 17/10/1997

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-75 °

Core Diameter:85.0 mm


Geologist Logging:Andrew Berry

End of hole (EOH):69.19 m



Target: K14C
Drill Hole: DDH14C-05
Location: 583029E , 6315357N
Zone & Datum: Z11, NAD 27
Elevation: 609 m asl
Start - End Date: 17/10/1997 - 18/10/1997

Company: Ashton Mining of Canada Inc.
Collar Azimuth: 0°
Collar Incline: -60°
Core Diameter: 85.0 mm
Geologist Logging: Andrew Berry
End of hole (EOH): 58.52 m



* Symbol denotes hand-sized sample of core is available at Mineral Core Research Facility at Alberta Geological Survey

Target:K14C

Drill Hole:DDH14C-06

Location:583029E , 6315357N

Zone & Datum:Z11, NAD 27

Elevation:609 m asl

Start - End Date:18/10/1997 - 20/10/1997

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-90°

Core Diameter:85.0 mm


Geologist Logging:Dave Skelton

End of hole (EOH):69.19 m



Target: K14C
Drill Hole: DDH14C-07
Location: 583029E , 6315357N
Zone & Datum: Z11, NAD 27
Elevation: 609 m asl
Start - End Date: 20/10/1997 - 21/10/1997

Company: Ashton Mining of Canada Inc.
Collar Azimuth: 0°
Collar Incline: -70°
Core Diameter: 85.0 mm
Geologist Logging: Dave Skelton
End of hole (EOH): 76.80 m



* Symbol denotes hand-sized sample of core is available at Mineral Core Research Facility at Alberta Geological Survey

Page 1 of 1

Target:K14

Drill Hole:BS14-03

Location:582850E , 6315045N

Zone & Datum:Z11, NAD 27

Elevation:621 m asl

Start - End Date:26/02/1998 - 27/02/1998

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-90°

Core Diameter:11 3/4 in. RC

Geologist Logging:Jeff Ward

End of hole (EOH):192.94 m



Target:K14

Drill Hole:BS14-03B

Location:582855E , 6315033N

Zone & Datum:Z11, NAD 27

Elevation:619 m asl

Start - End Date:11/03/1998 - 12/03/1998

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-90°

Core Diameter:11 3/4 in. RC

Geologist Logging:Jeff Ward

End of hole (EOH):195.07 m



Target:K14

Drill Hole:BS14-04

Location:582792E , 6315039N

Zone & Datum:Z11, NAD 27

Elevation:622 m asl

Start - End Date:09/03/1998 - 11/03/1998

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-90°

Core Diameter:11 3/4 in. RC

Geologist Logging:Jeff Ward

End of hole (EOH):170.70 m



Target:K14

Drill Hole:BS14-05A

Location:582809E , 6315095N

Zone & Datum:Z11, NAD 27

Elevation:626 m asl

Start - End Date:03/03/1998 - 05/03/1998

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-90 °

Core Diameter:9 3/4 in. RC

Geologist Logging:Jeff Ward

End of hole (EOH):179.83 m



Target:K14

Drill Hole:BS14-05B

Location:582812E , 6315110N

Zone & Datum:Z11, NAD 27

Elevation:627 m asl

Start - End Date:06/03/1998 - 09/03/1998

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-90°

Core Diameter:11 3/4 in. RC

Geologist Logging:Jeff Ward

End of hole (EOH):124.97 m



Target:K14

Drill Hole:BS14-06

Location:582909E , 6315094N

Zone & Datum:Z11, NAD 27

Elevation:618 m asl

Start - End Date:02/03/1998 - 05/06/1998

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-90°

Core Diameter:9 3/4 in. RC

Geologist Logging:Jeff Ward

End of hole (EOH):201.17 m



Target:K14

Drill Hole:BS14-07B

Location:582915E , 6315094N

Zone & Datum:Z11, NAD 27

Elevation:617 m asl

Start - End Date:16/03/1998 - 17/03/1998

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-90°

Core Diameter:11 3/4 in. RC

Geologist Logging:Jeff Ward

End of hole (EOH):173.74 m



Target:

Drill Hole:

Location:

Zone & Datum:

Elevation:

Start - End Date:

K14

BS14-08

582889E , 6315058N

Z11, NAD 27

618 m asl

23/02/1998 - 25/02/1998

Company:

Collar Azimuth:

Collar Incline:

Core Diameter:

Geologist Logging:

End of hole (EOH):

Ashton Mining of Canada Inc.


0°

-90°

11 3/4 in. RC

Jeff Ward

201.78 m



Target:K14

Drill Hole:BS14-08B

Location:582898E , 6315047N

Zone & Datum:Z11, NAD 27

Elevation:617 m asl

Start - End Date:15/03/1998 - 16/03/1998

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-90°

Core Diameter:11 3/4 in. RC

Geologist Logging:Jeff Ward

End of hole (EOH):201.17 m



Target:K14

Drill Hole:BS14-09A

Location:582951E , 6315046N

Zone & Datum:Z11, NAD 27

Elevation:614 m asl

Start - End Date:12/03/1998 - 14/03/1998

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-90°

Core Diameter:11 3/4 in. RC

Geologist Logging:Jeff Ward

End of hole (EOH):164.59 m



Target: K14
Drill Hole: BS14-09B
Location: 582942E , 6315053N
Zone & Datum: Z11, NAD 27
Elevation: 616 m asl
Start - End Date: 14/03/1998 - 15/03/1998

Company: Ashton Mining of Canada Inc.
Collar Azimuth: 0°
Collar Incline: -90°
Core Diameter: 11 3/4 in. RC
Geologist Logging: Jeff Ward
End of hole (EOH): 201.17 m



Target:K14

Drill Hole:BS14-10

Location:582951E , 6315098N

Zone & Datum:Z11, NAD 27

Elevation:615 m asl

Start - End Date:28/02/1998 - 02/03/1998

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-90°

Core Diameter:11 3/4 in. RC

Geologist Logging:Jeff Ward

End of hole (EOH):201.78 m



Target:K14

Drill Hole:BS14-10B

Location:582945E , 6315098N

Zone & Datum:Z11, NAD 27

Elevation:616 m asl

Start - End Date:13/03/1998 - 15/03/1998

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-90°

Core Diameter:9 3/4 in. RC

Geologist Logging:Jeff Ward

End of hole (EOH):201.17 m



Target:K14

Drill Hole:BS14-12

Location:582999E , 6315047N

Zone & Datum:Z11, NAD 27

Elevation:612 m asl

Start - End Date:26/02/1998 - 27/02/1998

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-90°

Core Diameter:5 3/4 in. RC

Geologist Logging:Jeff Ward

End of hole (EOH):176.78 m



Target:K14

Drill Hole:BS14-13

Location:582951E , 6315147N

Zone & Datum:Z11, NAD 27

Elevation:613 m asl

Start - End Date:06/03/1998 - 08/03/1998

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-90 °

Core Diameter:9 3/4 in. RC

Geologist Logging:Jeff Ward

End of hole (EOH):138.07 m



Target:K14

Drill Hole:BS14-14

Location:582900E , 6315141N

Zone & Datum:Z11, NAD 27

Elevation:620 m asl

Start - End Date:10/03/1998 - 11/03/1998

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-90°

Core Diameter:9 3/4 in. RC

Geologist Logging:Jeff Ward

End of hole (EOH):176.78 m



Target:K14

Drill Hole:BS14-15

Location:582844E , 6315150N

Zone & Datum:Z11, NAD 27

Elevation:621 m asl

Start - End Date:12/03/1998 - 13/03/1998

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-90 °

Core Diameter:9 3/4 in. RC

Geologist Logging: Jeff Ward

End of hole (EOH): 67.06 m



Target:K14

Drill Hole:BS14-17

Location:582902E , 6315197N

Zone & Datum:Z11, NAD 27

Elevation:617 m asl

Start - End Date:05/03/1998 - 06/03/1998

Company:Ashton Mining of Canada Inc.


Collar Azimuth:0°

Collar Incline:-90 °

Core Diameter:9 3/4 in. RC

Geologist Logging:Jeff Ward

End of hole (EOH):49.38 m



Target: WP
Drill Hole: RCWP-01
Location: 583117E , 6315593N
Zone & Datum: Z11, NAD 27
Elevation:
Start - End Date: 12/03/1998 - 12/03/1998

Company: Ashton Mining of Canada Inc.
Collar Azimuth: 0°
Collar Incline: -90°
Core Diameter: 5 5/8 in. RC
Geologist Logging: D. Strickland
End of hole (EOH): 88.39 m

